

BRE Global

Notified Body No. 0832

BRE Global Limited
Bucknalls Lane, Garston, Watford,
Hertfordshire, UK, WD25 9XX
Telephone: +44 (0) 333 321 8811
Fax: +44 (0)1923 664603
Email: enquiries@breglobal.com
Web: www.breglobal.com

Certificate of constancy of performance

0832-CPR-F2089

In compliance with Regulation (EU) No. 305/2011 of the European Parliament and of the Council of 9th March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

MI-DSS-PC-I Analogue Addressable Type A Integrated Detector Base Sounder/Beacon with Short Circuit Isolator

(For full product details and conditions of use refer to appendix)

Placed on the market under the name or trade mark of: and produced in the manufacturing plant(s):

**Morley-IAS Fire Systems by Honeywell
(Pittway Systems Technology Group
(Europe) Ltd)
Caburn House
2B Brooks Road
Lewes
BN7 2BY
United Kingdom**

**KAC Alarm Company Ltd
Thornhill Road
North Moons Moat
Redditch
B98 9ND
United Kingdom**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

**EN 54-3:2001 + A1:2002 + A2:2006 – Sounders
EN 54-17:2005 - Short circuit isolators
EN 54-23:2010 - Visual alarm devices**

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure

the constancy of performance of the construction product.

This certificate was first issued on 04 August 2017 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.



P Halligan, Certification Manager,

On behalf of BRE Global Limited

Date of First Issue: 4 August 2017

Date of Issue: 04 August 2017

Issue number 01

To check the validity of this certificate, please contact us on +44 (0)333 321 8811 or email enquiries@breglobal.com.

BRE Global Limited

Bucknalls Lane,
Garston, Watford,
Hertfordshire, UK,
WD25 9XX

Notified Body No. 0832

Telephone: +44 (0) 333 321 8811
Fax: +44 (0)1923 664603
Email: enquiries@breglobal.com
web: www.breglobal.com

APPENDIX to Certificate of constancy of performance: 0832-CPR-F2089**MI-DSS-PC-I Analogue Addressable Type A Integrated Detector Base Sounder/Beacon with Short Circuit Isolator****Notes:**

1. The wall mounted VAD meets the requirements of EN 54-23: 2010 for the following category (light pattern details):

- Category O – Open Class
- Flash rate 1Hz
- Synchronization

2. PC=Pure White/Clear indicates body/lens colour.

3. Advanced Protocol (and Honeywell 500 series protocol)

4. Meets the requirements of EN54-3 for all output levels at voltage range 15-29VDC and tones:

- 1) 554/440, 2Hz (100ms/400ms);
- 2) 800/970, 1Hz;
- 3) 800/970, 2Hz;
- 4) 2400/2900, 3Hz;
- 5) 2500/3100, 2Hz;
- 6) 988/645, 2Hz;
- 7) 660Hz;
- 8) 970Hz;
- 9) 1200Hz;
- 10) 2850Hz;
- 11) 150-1000, rise 10s, stable 40s, fall 10s, stable 20s, then repeating;
- 12) 420Hz, 0.625s on, 0.625 sec off;
- 13) 500-1200Hz, 0.25 sec off, 3.75 sec on;
- 14) 660, 3.33Hz, 150ms on, 150ms off;
- 15) 970, 0.8Hz 0.25s on, 1s off;
- 16) 970, 0.5Hz 1s on, 1s off;
- 17) 2850, 1Hz;
- 18) 970, 1Hz 500ms on, 500ms off;
- 19) 950, 0.22Hz (0.5s on, 0.5s off) x 3, 1.5s off;



P Halligan, Certification Manager,

On behalf of BRE Global Limited

Date of First Issue: 4 August 2017

Date of Issue: 04 August 2017

Issue number: 01

To check the validity of this certificate, please contact us on +44 (0)333 321 8811 or email enquiries@breglobal.com.

BRE Global Limited

Bucknalls Lane,
Garston, Watford,
Hertfordshire, UK,
WD25 9XX

Notified Body No. 0832

Telephone: +44 (0) 333 321 8811
Fax: +44 (0)1923 664603
Email: enquiries@breglobal.com
web: www.breglobal.com

APPENDIX to Certificate of constancy of performance: 0832-CPR-F2089

- 20) 800Hz;
- 21) 400-1200Hz, (0.5s on, 0.5s off) x 3, 1.5s off;
- 22) 1200 – 500Hz, 0.99Hz 1s on, 0.01s off;
- 23) 2400 – 2850, 7Hz;
- 24) 500 – 1200Hz, (0.5s off, 3.5s on);
- 25) 800 – 970, 50Hz;
- 26) 800 – 970, 7Hz;
- 27) 800 – 970, 1Hz;
- 28) 2400 – 2850, 50Hz;
- 29) 500 – 1000, 7Hz;
- 30) 500 – 1200 – 500, 0.166Hz rise 1s, stable 4s, fall 1s;
- 31) 800 – 1000, 2Hz;
- 32) 2400 – 2850, 1Hz.

Base:

B501AP Mounting base – Low profile base IP21C



P Halligan, Certification Manager,

On behalf of BRE Global Limited

Date of First Issue: 4 August 2017

Date of issue: 04 August 2017

Issue number: 01

To check the validity of this certificate, please contact us on +44 (0)333 321 8811 or email enquiries@breglobal.com.